

Her er stillingen i TI 83 konkurrencen:

n Repræsentationer fra 600

Leveret af :

$$600 = (4!)^2 + 4 + 4 + 4^2$$

Lise 2x

$$601 = (4!)^2 + 4! + 4 \div 4$$

Lise 2x

$$602 = 4! \times 4! + 4! + \sqrt{4}$$

Lise 2x

$$603 = (4!)^2 + 4! + \sqrt{4} + \log(\sqrt{10^{\sqrt{4}}})$$

Lise 2x (  $\log(\sqrt{10^{\sqrt{4}}}) = 1$  )

$$604 = (4!)^2 + 44 - 4^2$$

Lise 2x

$$605 = (4!)^2 + 4 + 4^{-1} \times 10^{\sqrt{4}}$$

Lise 2x

$$606 = (4!)^2 + 4! + \sqrt{4} + 4$$

Lise 2x

$$607 = (4!)^2 + 4^2 + 4^2 - \log(\sqrt{10^{\sqrt{4}}})$$

Lise 2x

$$608 = (4!)^2 + 4^3 - 4^2 - 4^2$$

Lise 2x

$$609 = (4!)^2 + \sqrt{4} \times 4^2 + \log(\sqrt{10^{\sqrt{4}}})$$

Lise 2x

$$610 = (4!)^2 + 10^{\sqrt{4}} - \sqrt{4} - 4^3$$

Lise 2x

$$611 = (4!)^2 + (4 + \sqrt{4})^2 - \log(\sqrt{10^{\sqrt{4}}})$$

Lise 2x

$$612 = (4!)^2 + 4^2 + 4^2 + 4$$

Lise 2x

$$613 = (4!)^2 + (4 + \sqrt{4})^2 + \log(\sqrt{10^{\sqrt{4}}})$$

Lise 2x

$$614 = (4!)^2 + 4^3 - 4! - \sqrt{4}$$

Lise 2x

$$615 = (4!)^2 + 4^3 - 4^{-1} \times 10^{\sqrt{4}}$$

Lise 2x

$$616 = (4!)^2 - 4 + 44$$

Lise 2x

$$617 = (4!)^2 + 4^2 + 4^{-1} \times 10^{\sqrt{4}}$$

Lise 2x

$$618 = (4!)^2 + 4^3 - 4! + \sqrt{4}$$

Lise 2x

619=	$(4!)^2 + 44 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
620=	$(4!)^2 + 4^3 - 4^2 - 4$	Lise 2x
621=	$(4!)^2 + 44 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
622=	$(4!)^2 + 44 + \sqrt{4}$	Lise 2x
623=	$(4!)^2 + 44 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
624=	$(4!)^2 + 44 + 4$	Lise 2x
625=	$(4!)^2 + 4! + 4! + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
626=	$(4!)^2 + 4^3 - 4^2 + \sqrt{4}$	Lise 2x
627=	$(4!)^2 + 4^3 - \sqrt{10^{\sqrt{4}}} - \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x $(\log((\sqrt{10^{\sqrt{4}}})^3) = 3)$
628=	$(4!)^2 + 4^3 - 4^2 + 4$	Lise 2x
629=	$(4!)^2 + 4^3 - \sqrt{10^{\sqrt{4}}} - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
630=	$(4!)^2 + 44 + \sqrt{10^{\sqrt{4}}}$	Lise 2x
631=	$(4!)^2 + 4^3 - \sqrt{10^{\sqrt{4}}} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
632=	$(4!)^2 + 4^3 - 4 - 4$	Lise 2x
633=	$(4!)^2 + 4^3 - \sqrt{10^{\sqrt{4}}} + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
634=	$(4!)^2 + 4^3 - 4! \div 4$	Lise 2x
635=	$(4!)^2 + 4^3 - 4 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
636=	$(4!)^2 + 4^3 - \sqrt{4} - \sqrt{4}$	Lise 2x
637=	$(4!)^2 + 4^3 - \sqrt{4} - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
638=	$4! \times 4! + 4^3 - \sqrt{4}$	Lise 2x

639=	$(4!)^2 + 4^3 - 4 \div 4$	Lise 2x
640=	$(4!)^2 + 4 \times 4 \times 4$	Lise 2x
641=	$(4!)^2 + 4^3 + 4 \div 4$	Lise 2x
642=	$4! \times 4! + 4^3 + \sqrt{4}$	Lise 2x
643=	$(4!)^2 + 4^3 + \sqrt{4} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
644=	$4! \times 4! + 4^3 + 4$	Lise 2x
645=	$(4!)^2 + 4^3 + 4 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
646=	$(4!)^2 + 4^3 + 4! \div 4$	Lise 2x
647=	$(4!)^2 + 4^3 + 4 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
648=	$(4!)^2 + 4^3 + 4! - 4^2$	Lise 2x
649=	$(4!)^2 + 4^3 + (\sqrt{4})^3 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
650=	$(4!)^2 + 10^{\sqrt{4}} - 4! - \sqrt{4}$	Lise 2x
651=	$(4! + \sqrt{4})^2 - 4^{-1} \times 10^{\sqrt{4}}$	Lise 2x
652=	$(4!)^2 + 4^3 + 4^2 - 4$	Lise 2x
653=	$(4!)^2 - 4! + 10^{\sqrt{4}} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
654=	$(4!)^2 - 4! + 10^{\sqrt{4}} + \sqrt{4}$	Lise 2x
655=	$((\sqrt{4})^3)^3 + (4^2 - 4)^2 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
656=	$4 \times 10^{\sqrt{4}} + 4^4$	Lise 2x
657=	$((\sqrt{4})^3)^3 + (4^2 - 4)^2 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
658=	$(4!)^2 + 4^2 + 4^3 + \sqrt{4}$	Lise 2x

659=	$(4! + \sqrt{4})^2 - 4^2 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
660=	$(4!)^2 + 4^3 + 4! - 4$	Lise 2x
661=	$(4! + \sqrt{4})^2 - 4^2 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
662=	$(4!)^2 + 4^3 + 4! - \sqrt{4}$	Lise 2x
663=	$(4!)^2 + 4^3 + 4! - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
664=	$(4!)^2 + 4 \times 4^2 + 4!$	Lise 2x
665=	$(4!)^2 + 4^3 + 4! + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
666=	$(4!)^2 + 4^3 + 4! + \sqrt{4}$	Lise 2x
667=	$(4!)^2 - (\sqrt{4})^3 - \log(\sqrt{10^{\sqrt{4}}}) + 10^{\sqrt{4}}$	Lise 2x
668=	$(4!)^2 + 4^3 + 4! + 4$	Lise 2x
669=	$(4!)^2 - (\sqrt{4})^3 + \log(\sqrt{10^{\sqrt{4}}}) + 10^{\sqrt{4}}$	Lise 2x
670=	$(4!)^2 + 10^{\sqrt{4}} - \sqrt{4} - 4$	Lise 2x
671=	$(4! + \sqrt{4})^2 - 4 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
672=	$4! \times 4! + 10^{\sqrt{4}} - 4$	Lise 2x
673=	$(4! + \sqrt{4})^2 - 4 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
674=	$(4!)^2 + 10^{\sqrt{4}} + \sqrt{4} - 4$	Lise 2x
675=	$(4!)^2 + 10^{\sqrt{4}} - 4 \div 4$	Lise 2x
676=	$(4!)^2 + 10^{\sqrt{4}} \times 4 \div 4$	Lise 2x
677=	$(4!)^2 + 10^{\sqrt{4}} + 4 \div 4$	Lise 2x
678=	$(4!)^2 + 10^{\sqrt{4}} + 4 - \sqrt{4}$	Lise 2x

679=	$(4!)^2 + 10^{\sqrt{4}} + 4 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x	
680=	$(4!)^2 + 4^3 + 4! + 4^2$	Lise 2x	
681=	$(4!)^2 + 10^{\sqrt{4}} + 4 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x	
682=	$(4!)^2 + 10^{\sqrt{4}} + 4 + \sqrt{4}$	Lise 2x	
683=	$(4!)^2 + (\sqrt{4})^3 + 10^{\sqrt{4}} - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x	
684=	$(4!)^2 + 4^3 + 44$	Lise 2x	
685=	$(4!)^2 + (\sqrt{4})^3 + 10^{\sqrt{4}} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x	
686=	$4! \times 4! + 10^{\sqrt{4}} + \sqrt{10^{\sqrt{4}}}$	Lise 2x	
687=	$(4!)^2 + 10^{\sqrt{4}} + \sqrt{10^{\sqrt{4}}} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x	
688=	$(4!)^2 + 10^{\sqrt{4}} + \sqrt{10^{\sqrt{4}}} + \sqrt{4}$	Lise 2x	
689=	$(4! + \sqrt{4})^2 + \sqrt{10^{\sqrt{4}}} + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x	$\log((\sqrt{10^{\sqrt{4}}})^3) = 3$
690=	$(4! + \sqrt{4})^2 + \sqrt{10^{\sqrt{4}}} + 4$	Lise 2x	
691=	$(4!)^2 + 10^{\sqrt{4}} + 4! + (\log((\sqrt{10^{\sqrt{4}}})^3))^2$	Lise 2x	$(\log((\sqrt{10^{\sqrt{4}}})^3))^2 = 9$
692=	$4! \times 4! + 10^{\sqrt{4}} + 4^2$	Lise 2x	
693=	$(4!)^2 + 10^{\sqrt{4}} + 4^2 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x	
694=	$(4!)^2 + 10^{\sqrt{4}} + 4^2 + \sqrt{4}$	Lise 2x	
695=	$(4!)^2 + 10^{\sqrt{4}} + 4^2 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x	
696=	$(4!)^2 + 10^{\sqrt{4}} + 4^2 + 4$	Lise 2x	
697=	$(4!)^2 + 10^{\sqrt{4}} + 4! - \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x	
698=	$(4!)^2 + 10^{\sqrt{4}} + 4! - \sqrt{4}$	Lise 2x	

699=	$(4!)^2 + 10^{\sqrt{4}} + 4! - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
700=	$4! \times 4! + 10^{\sqrt{4}} + 4!$	Lise 2x
701=	$(4!)^2 + 10^{\sqrt{4}} + 4! + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
702=	$(4!)^2 + 10^{\sqrt{4}} + 4! + \sqrt{4}$	Lise 2x
703=	$(4!)^2 + 10^{\sqrt{4}} + 4! + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
704=	$(4!)^2 + 10^{\sqrt{4}} + 4! + 4$	Lise 2x
705=	$(4!)^2 + 4^3 + 4^3 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
706=	$(4!)^2 + 4^3 + 4^3 + \sqrt{4}$	Lise 2x
707=	$(4!)^2 + 4^3 + 4^3 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
708=	$(4!)^2 + 4^2 + 4^2 + 10^{\sqrt{4}}$	Lise 2x
709=	$(4!)^2 + 10^{\sqrt{4}} + 4! + (\log((\sqrt{10^{\sqrt{4}}})^3))^2$	Lise 2x $(\log((\sqrt{10^{\sqrt{4}}})^3))^2 = 9$
710=	$(4!)^2 + 10^{\sqrt{4}} + 4! + \sqrt{10^{\sqrt{4}}}$	Lise 2x
711=	$(4!)^2 + 10^{\sqrt{4}} + (\sqrt{4})^3 + (\log((\sqrt{10^{\sqrt{4}}})^3))^3$	Lise 2x $(\log((\sqrt{10^{\sqrt{4}}})^3))^3 = 27$
712=	$(4!)^2 + 10^{\sqrt{4}} + (4 + \sqrt{4})^2$	Lise 2x
713=	$(4!)^2 + 10^{\sqrt{4}} + \sqrt{10^{\sqrt{4}}} + (\log((\sqrt{10^{\sqrt{4}}})^3))^3$	Lise 2x
714=	$(4!)^2 + 4^3 + 4^3 + \sqrt{10^{\sqrt{4}}}$	Lise 2x
715=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 - 4 \times 4 + \sqrt{4}$	Lise 2x $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 = 729$
716=	$(4!)^2 + 10^{\sqrt{4}} + 4! + 4^2$	Lise 2x
717=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 - 4 \times 4 + 4$	Lise 2x
718=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 44 \div 4$	Lise 2x

- 719=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 - 4 - 4 - \sqrt{4}$  Lise 2x
- 720=  $(4!)^2 + 10^{\sqrt{4}} + 44$  HH
- 721=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4 + 4 - 4^2$  Lise 2x
- 722=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 - (\sqrt{4})^3 + 4 \div 4$  Lise 2x
- 723=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 - 4 - 4 + \sqrt{4}$  Lise 2x
- 724=  $(4!)^2 + 10^{\sqrt{4}} + 4! + 4!$  Lise 2x
- 725=  $(4!)^2 + 10^{\sqrt{4}} + (4 + \log(\sqrt{10^{\sqrt{4}}}))^2$  Lise 2x
- 726=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 - \sqrt{4} - \sqrt{4} + \log(\sqrt{10^{\sqrt{4}}})$  Lise 2x
- 727=  $\sqrt{(4^3)^3} + (4 + \sqrt{4})^3 - \log(\sqrt{10^{\sqrt{4}}})$  Lise 2x  $\sqrt{(4^3)^3} = 512$
- 728=  $(4!)^2 + 4^3 + 4^3 + 4!$  Lise 2x
- 729=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4 \times 4 - 4^2$  Lise 2x
- 730=  $\sqrt{(4^3)^3} + (4 + \sqrt{4})^3 + \sqrt{4}$  Lise 2x
- 731=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 - 4 + 4 + \sqrt{4}$  Lise 2x
- 732=  $(4! + \sqrt{4})^2 + 4^3 - (\sqrt{4})^3$  Lise 2x
- 733=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4 + 4 - 4$  Lise 2x
- 734=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + \sqrt{4} + \sqrt{4} + \log(\sqrt{10^{\sqrt{4}}})$  Lise 2x
- 735=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + \sqrt{4} + \sqrt{4} + \sqrt{4}$  Lise 2x
- 736=  $(4!)^2 + 10^{\sqrt{4}} + 4^3 - 4$  Lise 2x
- 737=  $(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + \sqrt{4} + \sqrt{4} + 4$  Lise 2x
- 738=  $(4!)^2 + 10^{\sqrt{4}} + 4^3 - \sqrt{4}$  Lise 2x

739=	$(4! + \sqrt{4})^2 + 4^3 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
740=	$(4! + \sqrt{4})^2 + 4 \times 4^2$	Lise 2x
741=	$(4! + \sqrt{4})^2 + 4^3 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
742=	$(4! + \sqrt{4})^2 + 4^3 + \sqrt{4}$	Lise 2x
743=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4 \times 4 - \sqrt{4}$	Lise 2x
744=	$(4!)^2 - 4^3 - 4! + (4^2)^2$	Lise 2x
745=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4^2 + 4 - 4$	Lise 2x
746=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4 \times 4 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
747=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 4 \times 4 + \sqrt{4}$	Lise 2x
748=	$(4! + \sqrt{4})^2 + 4^3 + (\sqrt{4})^3$	Lise 2x
749=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4 \times 4 + 4$	Lise 2x
750=	$(4!)^2 + 10^{\sqrt{4}} + 4^3 + \sqrt{10^{\sqrt{4}}}$	Lise 2x
751=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4^2 + 4 + \sqrt{4}$	Lise 2x
752=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4^2 + (\sqrt{4})^3 - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
753=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4^2 + 4 + 4$	Lise 2x
754=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + 4 \div 4$	Lise 2x
755=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + 4 - \sqrt{4}$	Lise 2x
756=	$(4!)^2 + 4^3 - 4^2 + 10^{\sqrt{4}}$	Lise 2x
757=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + \sqrt{4} + \sqrt{4}$	Lise 2x
758=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x



759=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + \sqrt{4} + 4$	Lise 2x
760=	$(\sqrt{10^{\sqrt{4}}})^3 - (4 + \sqrt{4})^3 - 4!$	Lise 2x
761=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + \sqrt{4} \times 4$	Lise 2x
762=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + (\log((\sqrt{10^{\sqrt{4}}})^3))^3 + 4 + \sqrt{4}$	Lise 2x
763=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + (\log((\sqrt{10^{\sqrt{4}}})^3))^3 + 4 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
764=	$(4!)^2 + 10^{\sqrt{4}} + 4^3 + 4!$	Lise 2x
765=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4^2 + \sqrt{10^{\sqrt{4}}} + \sqrt{10^{\sqrt{4}}}$	Lise 2x
766=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + \sqrt{10^{\sqrt{4}}} + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
767=	$(\log((\sqrt{(10^{\sqrt{4}})^3})^3))^3 + 4! + \sqrt{10^{\sqrt{4}}} + 4$	Lise 2x
768=	$(4!)^2 + 4^4 - 4^3$	Lise 2x
769=	$(\sqrt{10^{\sqrt{4}}})^3 - 4^2 + 4! + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
770=	$(\sqrt{10^{\sqrt{4}}})^3 - (4^2)^2 + 4! + \sqrt{4}$	Lise 2x
771=	$(\sqrt{10^{\sqrt{4}}})^3 - (4^2)^2 + 4! + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
772=	$(\sqrt{10^{\sqrt{4}}})^3 - (4^2)^2 + 4! + 4$	Lise 2x
773=	$(\sqrt{10^{\sqrt{4}}})^3 - (4^2)^2 + (\log((\sqrt{10^{\sqrt{4}}})^3))^3 + \sqrt{4}$	Lise 2x
774=	$(\sqrt{10^{\sqrt{4}}})^3 - (4^2)^2 + (\log((\sqrt{10^{\sqrt{4}}})^3))^3 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
775=	$(\sqrt{10^{\sqrt{4}}})^3 - (4^2)^2 + (\log((\sqrt{10^{\sqrt{4}}})^3))^3 + 4$	Lise 2x
776=	$4! \times 4! + 10^{\sqrt{4}} + 10^{\sqrt{4}}$	Lise 2x
77=	$(4!)^2 + 10^{\sqrt{4}} + 10^{\sqrt{4}} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
778=	$(4!)^2 + 10^{\sqrt{4}} + 10^{\sqrt{4}} + \sqrt{4}$	Lise 2x

779=	$(4!)^2 + 10^{\sqrt{4}} + 10^{\sqrt{4}} + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
780=	$(4!)^2 + 10^{\sqrt{4}} + 10^{\sqrt{4}} + 4$	Lise 2x
781=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 - \sqrt{4} - \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x $(\log((10^{\sqrt{4}})^3))^3 = 216$
782=	$(\sqrt{10^{\sqrt{4}}})^3 - (4 + \sqrt{4})^3 - \sqrt{4}$	Lise 2x
783=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 - \sqrt{4} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
784=	$\sqrt{10^{\sqrt{4}}} \times (\sqrt{10^{\sqrt{4}}})^2 - (4 + \sqrt{4})^3$	Lise 2x
785=	$(4!)^2 + 4^3 \times \sqrt{4} + ((\log((\sqrt{(10^{\sqrt{4}})})^3))^2)^2$	Lise 2x $((\log((\sqrt{(10^{\sqrt{4}})})^3))^2)^2 = 81$
786=	$(\sqrt{10^{\sqrt{4}}})^3 - (4 + \sqrt{4})^3 + \sqrt{4}$	Lise 2x
787=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + \sqrt{4} + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
788=	$(\sqrt{10^{\sqrt{4}}})^3 - (4 + \sqrt{4})^3 + 4$	Lise 2x
789=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + 4 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
790=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + 4 + \sqrt{4}$	Lise 2x
791=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + 4 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
792=	$(\sqrt{10^{\sqrt{4}}})^3 - 10^{\sqrt{4}} - 10^{\sqrt{4}} - (\sqrt{4})^3$	Lise 2x
793=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + (\sqrt{4})^3 + \log(\sqrt{10^{\sqrt{4}}})$	Lise 2x
794=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + (\sqrt{4})^3 + \sqrt{4}$	Lise 2x
795=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + (\sqrt{4})^3 + \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
796=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + (\sqrt{4})^3 + 4$	Lise 2x
797=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + 4^2 - \log((\sqrt{10^{\sqrt{4}}})^3)$	Lise 2x
798=	$(\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + (\sqrt{4})^3 + \log(\sqrt{(10^{(\sqrt{4})^3})^2})$	Lise 2x $\log(\sqrt{(10^{(\sqrt{4})^3})^2}) = 6$

$$799 = (\sqrt{10^{\sqrt{4}}})^3 - (\log((10^{\sqrt{4}})^3))^3 + 4^2 - \log(\sqrt{10^{\sqrt{4}}})$$

Lise 2x

$$800 = \sqrt{10^{\sqrt{4}}} \times (\sqrt{10^{\sqrt{4}}})^2 - 10^{\sqrt{4}} - 10^{\sqrt{4}}$$

Lise 2x